EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	72	(oversampl$3 or (over sampl$3)) with (transition near3 detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 06:18
L2	3	L1 and (zero near3 cross$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 06:18
L3	92	(frequency near3 multiplier) with (integral multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:50
L4	89	3 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:50
L5	4	4 and (zero near3 cross$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:51
L6	1	4 and (oversampl$3 or (over sampl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:54
L7	84	4 not 5 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:55
L8	0	4 and (symbol with position with detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:57

L9	3635	(symbol with position with detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:58
L10	29	9 and (((zero near2 cross$3) or zerocross$3) near3 detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 07:59
L11	0	("2007/0297549").URPN.	USPAT	ADJ	ON	2008/04/09 07:59
L12	8	("4504960" | "4882546" | "4982110" | "5003557" | "5260841" | "5471502" | "5528598").PN. OR ("5617374").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/09 08:11
L15	21	("5052026" | "5054035" | "5150362" | "5200956" | "5214687" | "5258981" | "5276691" | "5390340" | "5396496" | "5416778" | "5446922" | "5488638" | "5535429" | "5598407" | "5960046" | "5991283" | "6032033" | "6091718" | "6256477").PN. OR ("6738364"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/09 08:22
L16	4278	375/342,360,316,294,359.ccls. or 329/304.ccls. or 327/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 09:06
L17	251	16 and ((zero near2 cross$3) or zerocross$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 09:06
L18	34	17 and (ovesampl$3 or (over near2 sampl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 09:07
L19	29	18 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 09:07
L20	12	("4234957" | "4559499" | "4682343" | "4856027" | "5202901" | "5282227" | "5490176" | "5491713" | "5745530").PN. OR ("6493396"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/09 09:57

L21	43509	((zero near2 cross$3) or (zerocross$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:21
L22	37014	21 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:22
L23	6	22 and (compar$3 with absolute with value with (before or previous) with (after or present))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:23
L24	2	22 and (select with point with (lower or smaller or less$3) with absolute value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:31
L25	9	22 and (select$3 with point with (lower or smaller or less$3) with absolute value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:31
L26	0	22 and (compar$3 with (cross$3or zerocross$3) with (point or sample) with (before or previous) with (after or present))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/09 13:37
S1	1	10/540022 and predetermined criterion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 10:11
S2	1	(clock near3 extract$3) same (zero near3 detect$3) same (symbol with position with detection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:24
S3	1	(clock near3 extract$3) same (zero near3 detect$3) same (symbol with detection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:25

S4	1	(clock with extract$3) with (zero near3 detect$3) with (symbol with detection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:25
S5	74	(clock with extract$3) with (zero near3 detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:25
S6	68	S5 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:27
S7	44	S6 and (clock near3 extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:32
S8	4	S7 and filter with extract with clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:44
S9	8	S7 and (clock with frequency with multipl$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/04 11:46
S10	2	"5355092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:33
S11	109	((zero adj1 crossing) or (zerocrossing)) and (clock extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:36
S12	86	S11 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:38

S13	9	S12 and oversampl$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:38
S14	0	oversampl$3 with (zero near2 cross$3 near2 detect$3) with (clock extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:47
S15	0	(over adj1 sampl$3) with (zero near2 cross$3 near2 detect$3) with (clock extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:48
S16	13	(zero near2 cross$3 near2 detect$3) with (clock extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:48
S17	13	(((zero near2 cross$3) or zerocross$3) near2 detect$3) with (clock extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:49
S18	359	(oversampl$3 with ADC) same filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:51
S19	8	S18 and (clock near3 extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:52
S20	1	sampl$3 with (clock near3 extract$3) with ((zerocross$3 or (zero adj1 cross$3)) near3 detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 11:56
S21	4165	(frequency with multipl$4) and sampl$3 and (zerocross$3 or (zero adj1 cross$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 12:00

S22	3462	S21 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 12:01
S23	350	S22 and (clock with extract$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 12:02
S24	0	S23 and ((zerocross$3 or (zero adj1 adjcross$3)) near2 detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 12:03
S25	28	S23 and oversampl$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 12:05
S26	117	S23 and ((zerocross$3 or (zero adj1 cross$3)) near3 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/07 12:11
S27	34	(oversampl$3 or (over adj1 sampl $3)) with (zerocross$3 or (zero adj1 cross$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 07:45
S28	26	S27 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 07:46
S29	3	"6608826".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 07:53
S30	3	"7085919"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 07:53

S31	2	"7085949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 07:54
S32	2	"4535295".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 13:16
S33	2	"5123030".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 13:20
S34	2	"5355092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 13:25
S35	52	oversampl$3 same ((zero adj1 cross$3) or zerocross$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 13:42
S36	12	S35 and (oversampl$3 with filter$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 13:43
S37	28	("5134637" | "5182761" | "5463351" | "5594763" | "5602882" | "5684805" | "5867533" | "5923628" | "6064236" | "6072370" | "6097777" | "6163586" | "6195784" | "6218869" | "6259755" | "6317842" | "6389090").PN. OR ("6606360").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/08 13:49
S38	4	S37 and ((zero adj1 cross$3) or zerocross$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 13:50
S39	46	(over sampl$3) same ((zero adj1 cross$3) or zerocross$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 14:21

S40	37	S39 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 14:21
S41	8	("20030058010" | "4105948" | "4590602" | "5963608" | "6133770" | "6181211" | "6859509").PN. OR ("7085949").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/08 14:27
S42	329	((position with detect$3) same ((zero adj1 cross$3) or zerocross$3)) and (frequency with multipl$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 14:48
S43	298	S42 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 14:49
S44	159	S43 and (position with (zerocross$3 or (zero adj1 cross$3)) with detect $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 15:08
S45	72	(oversampl$3 or (over sampl$3)) with (transition near3 detect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 15:30
S46	60	S45 and (@pd<="20021227" OR @ad<="20021227" OR @rlad<="20021227" OR @prad<="20021227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 15:31
S47	0	S46 and (symbol with position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 15:31
S48	28	S46 and (detect$3 with position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 15:31

4/9/2008 1:37:45 PM
C:\ Documents and Settings\ slee7\ My Documents\ EAST\ Workspaces\ 10540022.wsp